



Ethnomedicinal Plants Used as Medicine by the Kurumba Tribals in Pennagaram Region, Dharmapuri District of Tamil Nadu, India

C. Alagesaboopathi

Department of Botany, Government Arts College (Autonomous), Salem - 636 007. Tamilnadu, India.

ABSTRACT

The aim of present research was to record the indigenous knowledge about medicinal plants of Kurumba tribals in Pennagaram Region, Dharmapuri District of Tamilnadu. The indigenous knowledge of the tribals and the native plants used for medicinal value were collected through questionnaire and personal interviewed during field trips. The study revealed some unknown medical used of medicinal plants. The botanical name, local name, family name, parts used and traditional practice of 20 species, 20 genera and families are discussed here for the treatment of various ailments. The dicotyledons are represented by 18 species of 18 genera and 13 families while monocotyledons are represented by 2 species of 2 genera and 2 families. 90% dicotyledons and 10% monocotyledons were encountered.

KEYWORDS: Ethnomedicinal plants, Traditional practice, Kurumba tribals, Pennagaram region.

INTRODUCTION

India is endowed with a rich wealth of medicinal plants. In India, medicinal plants are widely used by all sections of people either directly as folk remedies or indifferent indigenous systems of medicine or indirectly in the pharmaceutical preparations of modern medicines. Medicinal plants have been used to cure a number of diseases. India is one of the 12 megadiversity countries in the world and has 17,000 flowering plants of the designed 25 hotspots in the world, the Eastern Himalaya and the Western Ghats are the 2 hotspots in India. In India 550 ethnic tribes having rich traditional and indigenous knowledge.

Plants have been used in traditional medicine for several thousand years [1]. The knowledge of medicinal plants has been accumulated in the course of many centuries based on different Indian systems of medicines such as Ayurveda, Unani and Siddha. In India it is reported that traditional healers use 2500 plant species and medicine [2]. In recent years, there has been a tremendous range of interest in the medicinal plants especially those used in Ayurvedas and other traditional systems of medicines. Drugs obtained from plant are believed to be much safer and exhibit a remarkable efficacy in the treatment of various ailments [3]. Plants have always been the source of medicines and have many uses to mankind. According to some earlier workers [4-6]. The notable contributions of ethnobotanical interests on Tamilnadu are by Ramachandran and Nair (1981), Ansari and Dwarakan (1993) [7, 8] and in Indian prospective by Kaushik (1988) and Kaushik and Dhiman (2000) [9, 10].

After Gamble (1915-36) the flora of Dharmapuri district was studied by Vajravelu *et al.*, 1967 [11, 12]. Pennagaram region is situated in Dharmapuri district of Tamilnadu lying at 12°7'N latitude and 78°38'E. The annual mean rainfall of this region is 102.8 cm with an elevation range of 270 m to 900 m from m.s.l.

In the present study, 20 medicinal plant species were surveyed to assess their therapeutic significance in managing various ailments. Ethnomedicinal exploration was conducted in the different localities of the Pennagaram region and numbers of valuable data on the uses of indigenous medicinal plants were recorded.

MATERIALS AND METHODS

Periodic field surveys for ethnobotanical exploration were undertaken during December 2009 to March 2010 in Pennagaram region of Dharmapuri District. During the surveys personal interviewed were conducted with the tribals (Kurumba), the herbal medicine practioners, village dwellers and other traditional healers. Each of the plant material was assigned field book number and documented as to family, botanical name, local name (Tamil), part used and medicinal uses. Plant parts that were identified as having use in ethnobotany were collected and compressed. Plant species collected were identified with the help of flora books [11, 13, 14]. Voucher specimens are deposited in the herbarium of Botany Department, Government Arts College (Autonomous), Salem. It was found that some of the present information has not so far been available in literature.

RESULTS AND DISCUSSION

In the present investigation provides an ethnobotanical data of the medicinal plants used by the tribal people of Kurumbas to cure various ailments. Out of 20 plant species studied 2 is monocot and 18 is dicot. All the 20 species have medicinal uses. Six species are used for snake bite and scorpion sting. *Calotropis gigantea*, *Cocculus hirsutus* and *Withania somnifera* are used for stomachache problems. Tribal people also make use of *Cocculus hirsutus*, *Ocimum tenuiflorum* and *Rhinacanthus nasutus* to treat antipyretic. *Azadirachta indica* used to manage small pox. The tribal people of Pennagaram region, Dharmapuri District of Tamilnadu has been using numerous herbs of therapeutic purpose since time immemorial. Tribal people chiefly depend on the herbs for all ailments. They are aware of the plant remedies for common diseases like ulcer, skin diseases, headache, cold, cough and fits. They are also very familiar with the antidotes for scorpion sting, insect bites and snake bites. Pharmacological and Clinical trails will help in the confirmation of the efficacy of the report herbs. Due to more demand of ethnomedicinal plants and cultivation and more profit, tribals have been motivated for conservation of these plant species.

ENUMERATION

The plant species are arranged alphabetical order. Each plant is followed by its family, local name. The medicinal uses are described with details such as part(s) used singly, combination with other ingredients or mixed with other plants, methods of preparation and mode of administration, followed by collectors initials (CA-C.Alagesaboopathi) and collection number. The following is the list of 20 plants studied.

1. *Acalypha indica* L. (Euphorbiaceae). Local name: Kuppaimeni. CA-31. The leaves are ground with leaves of *Ocimum tenuiflorum* and hot water and given once a day for 2 days for stomach pain. Leaf juice is given orally twice a day for cure diarrhoea in cattle.
2. *Adhatoda vasica* Nees (Acanthaceae). Local name: Adathoda. CA-17. The leaves are grinding with *Zingiber officinalis* and mixed with *Piper betle* leaves juice is given to cure fits.
3. *Aegle marmelos* (L.) Corr. (Rutaceae). Local name: Vilvam. CA-19. The leaf is grinding with curd and given once a day for 4 days for cooling.
4. *Ailanthus excelsa* Roxb. (Simaroubaceae). Local name: Peeyamaram. CA-24. A decoction of the leaves with the leaves of *Aristolochia indica* mixed with goats' milk to drink which cure scorpion sting and snake bite.
5. *Aloe barbadensis* Mill. (Liliaceae). Local name: Chottukathalai, CA-13. The juice of the whole plant is taken as remedy for giddiness in cattle.
6. *Andrographis paniculata* Nees (Acanthaceae). Local name: Siriyanangai. CA-25. A decoction of the leaves with the leaves of *Andrographis alata* is given to snake bite. Leaf is grinding and made into paste and applied externally in scorpion sting and snake bite.
7. *Aristolochia indica* L. (Aristolochiaceae). Local name: Eswaramooligai. CA-14. The leaf juice is taken orally to treat skin disease and scorpion sting.
8. *Azadirachta indica* A.Juss. (Meliaceae). Local name: Vembu. CA-16. The leaf ground with castor oil is used in small pox.
9. *Calotropis gigantea* R.Br. (Asclepiadaceae). Local name: Erukku. CA-33. The leaf decoction is given once a day for 4 days for stomachache problems in cattle.
10. *Cleome viscosa* L. (Capparidaceae). Local name: Nayivelai. CA-10. Leaves paste applied externally in scorpion sting and snake bite.
11. *Cocculus hirsutus* Diels (Menispermaceae). Local name: Kattukkodai. CA-35. Leaf juice used in eczema. Roots decoction is given in antipyretic and stomachache problems.
12. *Coccinia grandis* (L.) J. voigt (Cucurbitaceae). Local name: Kovai. CA-12. Decoction of the leaves is mixed with

21. Ethnomedicinal Plantsin Pennagaram Region, Dharmapuri District of Tamil Nadu, India C. Alagesaboopathi
 decoction of *Acalypha indica* and black pepper two times a day for four to six days to cure ulcer.
13. *Leucas aspera* Spreng. (Lamiaceae). Local name: Thumbai. CA-26. Decoction of the leaf is mixed with hot milk to get relief from fever. The leaf paste is used in headache.
14. *Musa paradisiaca* L. (Musaceae). Local name: Valai. CA-22. 100 ml of decoction of the skin bark is mixed with hot water and given three times acts as antivenom for cobra bite.
15. *Ocimum tenuiflorum* L. (Lamiaceae). Local name: Thullasi. CA-30. The juice prepared from twenty to twenty five grams of fresh leaves with 100 ml of hot water is taken orally as remedy for antipyretic, cold and cough.
16. *Pergularia daemia* (Forssk). Chior (Asclepiadaceae). Local name: Veliparuthi. CA-29. The decoction of the leaves is used in treatment of insect bites. The leaf juice is an antidote to snake bite.
17. *Rhinacanthus nasutus* (L.) Kurz. (Acanthaceae). Local name: Nagamalli. CA-27. Leaf juice is mixed with cow's milk are given in antipyretic and cough. Leaf paste is applied externally to treat wounds in live stock.
18. *Ricinus communis* L. (Euphorbiaceae). Local name: Amanakku. CA-18. Decoction of the leaves is mixed salt is applied for eye complaints in live stock.
19. *Tribulus terrestris* L. (Zygophyllaceae). Local name: Nerunchi. CA-11. The whole plant juice is mixed with cow's milk is used to cold.
20. *Withania somnifera* Dun. (Solanaceae). Local name: Amukramkizhangu. CA-21. The root powder mixed with black pepper used in stomachache problems.

REFERENCES

- [1]. Abu-Rabia, A. (2005). Urinary diseases and ethnobotany among pastoral nomads in the middle East. *J.Ethnobiol and Ethnomedicine* ., 1:4.
- [2]. Pei, S.J. (2001). Ethnobotanical approaches of traditional medicine studies some experiences from Asia, *Pharama Bio.*, 39:74-79.
- [3]. Siddhiqui, M.A.A. John, A.Q; Paul, T.M; (1995). Status of some important medicinal and aromatic plants of Kashmir Himalaya, *Advances in Plant Sciences* ., 8: 134-139.
- [4]. Jain, S.K. (1965). Medicinal plants lore of tribals of Bastar, *Econ. Bot.*, 19:236-250.
- [5]. Kirtikar, K.R. and Basu, B.D. (1999). Indian Medicinal Plants. I-IV. Vols. International Book Distributors, Booksellers and Publishers, Dehra Dun.
- [6]. Nadkarni, K.M. (2001). Indian plants and drugs with their medicinal properties and uses. Asiatic publishing House, New Delhi.
- [7]. Ramachandran, V.S. and Nair, N.C. (1982). Ethnobotanical observations on Irulas of Tamilnadu (India). *J.Econ. Tax. Bot.*, 2: 183-190.
- [8]. Ansari, A.A. and Dwarakan, P. (1993). Less known edible plants of Shevaroy Hills and Kolli Hills. *J.Econ. Taxon. Bot.*, 17:245.
- [9]. Kaushik, P. (1988). Indigenous Medicinal Plants including microbes and Fungi, Today and Tomorrow's, New Delhi.
- [10]. Kaushik, P. and Dhiman, A.K. (2000). Medicinal plants and Raw Drugs of India. Bishen Singh, Mahendra Pal Singh, Dehara Dun.
- [11]. Gamble, J.S. (1936). Flora of the Presidency of Madras. Vol. I-III Allard & Co.London. (Reprinted 1956) Botanical Survey of India. Calcutta.
- [12]. Vajravelu, E. and Rathakrishnan, N.C. (1967). A Contribution to the flora of Dharmapuri District, Madras State, *Bull. Bot. Surv. India*, 9: 31-48.
- [13]. Matthew, K.M. (1983). The Flora of Tamilnadu Carnatic. The Rapinat Herbarium, Tiruchirapalli, Tamilnadu, India.
- [14]. Henry, A.N; Kumari, G.R. and Chitra, V. (1987). Flora of Tamilnadu, India, Series I: Analysis Botanical Survey of India, Southern Circle, Coimbatore.

Corresponding Author: C. Alagesaboopathi, Department of Botany, Government Arts College (Autonomous), Salem - 636 007. Tamilnadu, India. E-mail: alagesaboopathi@rediffmail.com

Ethnomedicinal Plants Used as Medicine by the Kurumba Tribals in Pennagaram Region, Dharmapuri District of Tamil Nadu, India. Chinnappan Alagesabooopathi. Medicine. 2011. The aim of present research was to record the indigenous knowledge about medicinal plants of Kurumba tribals in Pennagaram Region, Dharmapuri District of Tamilnadu. The indigenous knowledge of the

Expand. 22. Traditional Knowledge on Medicinal Plants Used by the Irula Tribe of Hasanur Hills, Erode District, Tamil Nadu, India. P. Revathi and T. Parimelazhagan*. Bioprospecting Laboratory. Syzygium cumini, Santalum album and Ficus retusa are reported to treat diabetes. It is in agreement with earlier reports in the treatment of oral diseases (Tapsoba and Deschampus, 2006; Hebbar et al., 2004). Andrographis paniculata, Catheranthus roseus and Gymnema sylvestre were used to treat diabetes by the local traditional healers (Chellaiah et al., 2006). The tribal people of Sikkim. From our survey of ethnomedicinal plants, the results obtained confirm the The documented medicinal plants were mostly used to cure skin diseases, poison bites, stomachache and nervous disorders. In this study the most dominant family was Euphorbiaceae and leaves were most frequently used for the treatment of diseases. This study showed that many people in the studied parts of Kancheepuram district still continue to depend on medicinal plants at least for the treatment of primary healthcare. The traditional healers are dwindling in number and there is a grave danger of traditional knowledge disappearing soon since the younger generation is not interested to carry on t